

	Type	L #	Hits	Search Text
1	BRS	L2	125	(virtual near synchronization)
2	BRS	L5	655	loom and (synchronize or synchronization)
3	BRS	L6	209	L5 and (sensor or program or computer)
4	IS&R	L9	397	(139/55.1).CCLS.
5	IS&R	L10	0	("4and((resilientnearcoupling))").PN.
6	BRS	L11	0	L9 and ((resilient or elastic) near coupling)
7	BRS	L13	284	loom and (gear adj train)
8	BRS	L15	887	gear and batten
9	BRS	L16	160	L15 and (loom or weaving)
10	BRS	L8	1	loom and weaving and (resilient near shedding)
11	BRS	L1	36	(virtual adj synchronization)
12	BRS	L3	62	L2 and (loom or shaft or machine)
13	BRS	L4	10	L2 and (loom or shaft)
14	BRS	L7	15	L6 and (virtual)
15	BRS	L12	41	L9 and (resilient or elastic)
16	BRS	L14	97	L13 and (batten or shedding or shed)
17	BRS	L17	152	L16 and (harness or rod or shaft or main or heald)

	DBs	Time Stamp
1	USPAT; USOCR; EPO; JPO; DERWENT	2007/05/18 08:57
2	USPAT; USOCR; EPO; JPO; DERWENT	2007/05/18 08:57
3	USPAT; USOCR; EPO; JPO; DERWENT	2007/05/18 08:57
4	USPAT; USOCR; EPO; JPO; DERWENT	2007/05/18 08:57
5	USPAT; USOCR; EPO; JPO; DERWENT	2007/05/18 08:57
6	USPAT; USOCR; EPO; JPO; DERWENT	2007/05/18 08:57
7	USPAT; USOCR; EPO; JPO; DERWENT	2007/05/18 08:57
8	USPAT; USOCR; EPO; JPO; DERWENT	2007/05/18 08:57
9	USPAT; USOCR; EPO; JPO; DERWENT	2007/05/18 08:57
10	USPAT; USOCR; EPO; JPO; DERWENT	2007/05/18 08:57
11	USPAT; USOCR; EPO; JPO; DERWENT	2007/05/18 08:57
12	USPAT; USOCR; EPO; JPO; DERWENT	2007/05/18 08:57
13	USPAT; USOCR; EPO; JPO; DERWENT	2007/05/18 08:57
14	USPAT; USOCR; EPO; JPO; DERWENT	2007/05/18 08:57
15	USPAT; USOCR; EPO; JPO; DERWENT	2007/05/18 08:57
16	USPAT; USOCR; EPO; JPO; DERWENT	2007/05/18 08:57
17	USPAT; USOCR; EPO; JPO; DERWENT	2007/05/18 08:57

	Comments	Error Definition	Err ors
1			
2			
3			
4			
5			
6			
7			
8			
9			
10			
11			
12			
13			
14			
15			
16			
17			